# PRO POWER PRODUCTS

POWERED by HONDA

*Pressure Washers • Water Pumps • Trash Pumps • Generators*

# 2017 CATALOG

PRO POWER PRODUCTS

TOP GUN PRESSURE WASHERS

# WHAT MAKES TOP GUN DIFFERENT....

The quality of components and workmanship shows in each and every Top Gun Model. We designed each product based on the input we received from outdoor power equipment dealers.

These pressure washers meet the needs of both consumers and professionals. The Top Gun brand is the answer for users that have been frustrated by cheap box store units that have a minimal life span. If you want to own a pressure washer that isn't destined for the landfill, look no further than Top Gun!

# THE DIFFERENCE IS IN THE DETAILS...




# ASSEMBLED IN THE USA

# TABLE OF CONTENTS


3 NEW PRODUCTS

5 PRODUCT LINE UP

9 TOP GUN PARTS & ACCESSORIES

PRO POWER PRODUCTS

POWERED by HONDA

# Introducing the new members of the Pro Power Family!

## Top Flow WATER PUMPS

POWERED by HONDA

INTRODUCING OUR NEW POLYPROPYLENE CENTRIFUGAL PUMP!

## WX160A-POLY2

*2" Poly Centrifugal Pump*

| SPECS | |
|---|---|
| Engine | Honda GX160 |
| Pump | Hypro 3430-0691 |
| Max GPM | 200 |
| Max PSI | 58 |
| Suction Lift | 25 Feet |
| Total Head | 134 Feet |

## WX200A-TWB80

*3" Aluminum Trash Pump*

| SPECS | |
|---|---|
| Engine | Honda GX200 |
| Pump | Hypro 3430-0791 |
| Max GPM | 272 |
| Max PSI | 50 |
| Suction Lift | 23 Feet |
| Total Head | 80 Feet |
| Solids Handling | 1 1/8" |

Top Flow
WATER PUMPS

POWERED by HONDA

# WX390A-860

***Capable of pumping 20 gpm through a 1/4" nozzle and 50' of 1" Hose.***

## PUMP SPECIFICATIONS COMPLY WITH DNR (WA) & ODF REGULATIONS FOR LOGGING SITE FIRE PROTECTION.

**IDEAL FIRE PUMP APPLICATION**

### PUMPING SPECS

| GPM at 20 PSI | GPM at 40 PSI | GPM at 60 PSI | GPM at 80 PSI | GPM at 100 PSI | GPM at 120 PSI | GPM at 140 PSI |
|---|---|---|---|---|---|---|
| 145 | 130 | 107 | 87 | 69 | 45 | 16 |

- Honda GX390 Engine (389 cc)
- Ace 860 Centrifigal Pump
- Max Flow Rate: 150 gpm
- Max Pressure: 140 psi
- Close-coupled, gas engine-driven
- Housing: Cast Iron
- Port sizes: 2" NPT inlet, 1 1/2" NPT outlet
- Pump seals: Viton ceramic
- Weight: 105 lbs

Top Spray
SPRAY EQUIPMENT

# SX160A-MSD41

| Specs & Features |
|---|
| Honda GX160 |
| Engine / Pump Package |
| Maruyama Piston Pump 8 GPM / 570 PSI |
| Rubber Mounted with large handles |
| Can easily be permanently mounted |

Large Handles for easy transport

Heavy Duty Very Portable Frame

**Applications include:**
- Agricultural Spraying
- Pest Control
- Fire Fighting
- Irrigation
- Tree Spraying

TOP GUN
PRESSURE WASHERS
POWERED by HONDA

*Commercial Cold Water, Gas Powered Pressure Washers with Honda Engines*

## PC160RB-2529BXD / PC190RB-2529BXD

| Specs | Features |
|---|---|
| PSI Rating (Pump) | 2900 PSI |
| Water Flow | 2.5 gal / min |
| Engine | Honda GC160 or GC190 Recoil, OHC<br>2 yr. Residential, 90 day Comm. Warranty |
| Pump | Comet BXD Pump, Axial Pump,<br>1 yr. Pump Warranty |
| Hose | 25 ft. , 4000 PSI wire braided rubber |
| Frame | Heavy duty, 2—10" flat free steel rim tires,<br>Anti-vibration rubber feet |

## PX200RB-3029AXD / PX200RB-3029BWD

| Specs | Features |
|---|---|
| PSI Rating (Pump) | 2900 PSI |
| Water Flow | 3.0 gal / min |
| Engine | Honda GX200, 196 cc, Recoil Start, OHV<br>3 Year Engine Warranty |
| Pump | Comet AXD Axial Pump (2 yr Pump Warranty), or BWD Triplex Pump<br>(5 yr Pump Warranty) |
| Hose | 25 ft. , 4000 PSI wire braided rubber |
| Frame | Heavy duty, 2—10" flat free steel rim tires,<br>Anti-vibration rubber feet |

## PX270RB-3535AWD

| Specs | Features |
|---|---|
| PSI Rating (Pump) | 3500 PSI |
| Water Flow | 3.5 gal / min |
| Engine | Honda GX270, 270 cc, Recoil Start, OHV<br>3 Year Engine Warranty |
| Pump | Comet AWD Pump, Triplex Pump (5 yr Pump Warranty) |
| Hose | 50 ft. , 4000 PSI wire braided rubber |
| Frame | Heavy duty, 2—13" flat free steel rim tires,<br>Anti-vibration rubber feet |

PRO POWER PRODUCTS

TOP GUN PRESSURE WASHERS

## PX390RA-4040ZWD

| Specs | Features |
|---|---|
| PSI Rating (Pump) | 4000 PSI |
| Water Flow | 4.0 gal / min |
| Engine | Honda GX390, 389 cc, Recoil Start, OHV 3 yr Engine Warranty |
| Pump | Comet ZWD Pump, Triplex Pump, 5 yr Pump Warranty |
| Hose | 50 ft. , 4000 PSI wire braided rubber |
| Frame | Heavy duty, 2—13" flat free steel rim tires, Anti-vibration rubber feet |

## PX200RA-3030CAT

NEW

| Specs | Features |
|---|---|
| PSI Rating (Pump) | 3000 PSI |
| Water Flow | 3 gal/min |
| Engine | Honda GX200 196CC, OHV, 3 yr Warranty |
| Pump | Cat 4DNX27GSI Triplex pump, 2 yr Warranty |
| Hose | 50' 4000 PSI single braided |
| Frame | Heavy duty, 10" Flat free tires |

## PX390RA-4040CAT

NEW

| Specs | Features |
|---|---|
| PSI Rating (Pump) | 4000 PSI |
| Water Flow | 4.0 gal/min |
| Engine | Honda GX390 389CC, OHV, 3 yr Warranty |
| Pump | Cat 67DX39G1I Triplex pump, 2 yr Warranty |
| Hose | 50' 4000 PSI single braided |
| Frame | Heavy Duty, 13" FLAT FREE TIRES |

## PX200RA-3025RCV

COMMANDER Series

| SPECS | FEATURES |
|---|---|
| PSI Rating (Pump) | 2500 psi |
| Water Flow | 3 gal / min |
| Engine | Honda GX200, 196 cc, recoil start, OHV, 3 Year Engine Warranty |
| Pump | AR RCV External Unloader Pump, 5 Year Warranty |
| Hose | 50' 4000 PSI wire braided rubber |
| Frame | Heavy Duty, 2-10" flat free steel rim tires, anti-vibration rubber feet |

PRO POWER PRODUCTS

TOP GUN PRESSURE WASHERS

## PX270RA-3536RRV

COMMANDER Series

| SPECS | FEATURES |
|---|---|
| PSI Rating (Pump) | 3600 psi |
| Water Flow | 3.5 gal / min |
| Engine | Honda GX270, 270 cc, recoil start, OHV, 3 Year Engine Warranty |
| Pump | AR RRV External Unloader Pump, 5 Year Warranty |
| Hose | 50' 4000 PSI wire braided rubber |
| Frame | Heavy Duty, 2-13" flat free steel rim tires, anti-vibration rubber feet |

## PX390RA-4040RRV

COMMANDER Series

| SPECS | FEATURES |
|---|---|
| PSI Rating (Pump) | 4000 psi |
| Water Flow | 4 gal / min |
| Engine | Honda GX390, 389 cc, recoil start, OHV, 3 Year Engine Warranty |
| Pump | AR RRV External Unloader Pump, 5 Year Warranty |
| Hose | 50' 4000 PSI wire braided rubber |
| Frame | Heavy Duty, 2-13" flat free steel rim tires, anti-vibration rubber feet |

## PX390RA-4040EZ

COMMANDER Series

| Specs | Features |
|---|---|
| PSI Rating (Pump) | 4000 PSI |
| Water Flow | 4.0 gal / min |
| Engine | Honda GX390, 389 cc, Recoil Start, OHV 3 Year Engine Warranty |
| Pump | General 4040EZ External Unloader Pump, 5 yr Pump Warranty |
| Hose | 50 ft. , 5800 PSI wire double braided rubber |
| Frame | Heavy duty, 2—13" flat free steel rim tires, Anti-vibration rubber feet |

## PX630RA-5540FWD

COMMANDER Series

| Specs | Features |
|---|---|
| PSI Rating (Pump) | 4000 PSI |
| Water Flow | 5.5 gal / min |
| Engine | Honda GX630, 688 cc, Electric Start, OHV 3 Year Engine Warranty - includes battery |
| Pump | Comet FWD 5540 External Unloader Pump, 5 Year Pump Warranty |
| Hose | 50 ft. , 5800 PSI wire double braided rubber |
| Frame | Special Heavy duty frame, 2—16" flat free steel rim tires, Anti-vibration rubber feet |

# TOP CURRENT GENERATORS

## TC-3700-GX200A

| SPECS & FEATURES |
|---|
| 3,700 Surge Watts |
| 2,966 Continuous Watts |
| Honda GX200 Engine |
| Mecc Alte S15W-102 Alternator |
| 1-120 Duplex / 2 Outlet |
| GFCI Equipped |
| Heavy Duty / Very Portable Frame |
| Fold down protection handle |
| Lifting eyes |
| Flat free tires |
| 25' Extension cord included |

## TC-5700-GX270A

| SPECS & FEATURES |
|---|
| 5,700 Surge Watts |
| 4,571 Continuous Watts |
| Honda GX270 Engine |
| Mecc Alte S16W-105 Alternator |
| 1-120 Duplex / 2 Outlet |
| 1-240 Outlet |
| GFCI Equipped |
| Heavy Duty / Very Portable Frame |
| Fold down protection handle |
| Lifting eyes |
| Flat free tires |
| 25' Extension Cord included |




Compact Folded Position

## Replacement Parts & Accessories for Top Gun Pressure Washers

# PUMP ASSEMBLIES

| Part Number | Qty | Description |
|---|---|---|
| **Pump Assembly - All PC160, PC190 Models** | | |
| 6525.1002.50 | 1 | **Pump BXD2529**<br>Commercial Axial Pump<br>2.5 Gallons Per minute / 2,900 PSI<br>Built-in Uniflow Unloader & Chemical Injector<br>Built-In Easy Start<br>Mounts to 3/4" crankshaft engine |
| 8102.0302.00 | 1 | 3/8 Female Quick Connect Coupler |
| 8105.0601.00 | 1 | Garden Hose Adaptor 1/2 MPT SS Spring |
| 8102.3000.00 | 1 | Soap Hose Assembly 3' |
| **BXD2529-ASSY** | | Includes all above ready to install |

| | | |
|---|---|---|
| **Pump Assembly - PX200RB-3029AXD** | | |
| 6501.0006.50 | 1 | **Pump AXD3025 G**<br>Commercial Axial Pump<br>3 Gallons Per minute / 2,900 PSI<br>Industrial Ceramic Plungers<br>Built-in Uniflow Unloader & Chemical Injector<br>Mounts to 3/4" crankshaft engine |
| 8102.0302.00 | 1 | 3/8 Female Quick Connect Coupler |
| 8105.0601.00 | 1 | Garden Hose Adaptor 1/2 MPT SS Spring |
| 8102.3000.00 | 1 | Soap Hose Assy - 3' |
| **AXD3029-ASSY** | | Includes all above ready to install |

| | | |
|---|---|---|
| **Pump Assembly - PX200RB-3029BWD** | | |
| 6521.0350.50 | 1 | **Pump BWD3029 G-K**<br>Commercial Triplex Pump<br>3 Gallons Per minute / 2,900 PSI<br>Industrial Ceramic Plungers<br>Built-in Uniflow Unloader & Chemical Injector<br>Mounts to 3/4" crankshaft engine |
| 8102.0302.00 | 1 | 3/8 Female Quick Connect Coupler |
| 8105.0601.00 | 1 | Garden Hose Adaptor 1/2 MPT SS Spring |
| 8102.3000.00 | 1 | Soap Hose Assy - 3' |
| **BWD3029-ASSY** | | Includes all above ready to install |

Hose Soap Assembly

GH Adaptor

Coupler

## PUMP ASSEMBLIES continued

| Part Number | Qty | Description |
|---|---|---|

**Pump Assembly - PX270RB-3535AWD**

| | | |
|---|---|---|
| 6520.0250.50 | 1 | **Pump AWD3535**<br>Commercial Triplex Pump<br>3.5 Gallons Per minute / 3,500 PSI<br>Industrial Ceramic Plungers<br>Built-in Uniflow Unloader & Chemical Injector<br>Mounts to 1" crankshaft engine |
| 8102.0302.00 | 1 | 3/8 Female Quick Connect Coupler |
| 8105.0601.00 | 1 | Garden Hose Adaptor 1/2 MPT SS Spring |
| 8102.3000.00 | 1 | Soap Hose Assy - 3' |
| **AWD3535-ASSY** | | Includes all above ready to install |

**Pump Assembly - PX390RA-4040ZWD**

| | | |
|---|---|---|
| 6305.1503.00 | 1 | **Pump ZWD4040 G-K**<br>Commercial Triplex Pump<br>4 Gallons Per minute / 4,000 PSI<br>Industrial Ceramic Plungers<br>Built-in Uniflow Unloader & Chemical Injector<br>Mounts to 1" crankshaft engine |
| 8102.0302.00 | 1 | 3/8 Female Quick Connect Coupler |
| 8105.0601.00 | 1 | Garden Hose Adaptor 1/2 MPT SS Spring |
| 8102.3000.00 | 1 | Soap Hose Assy - 3' |
| **ZWD4040-ASSY** | | Includes all above ready to install |

## HOSES

*All Hoses come ready to assemble with 3/8 Quick Connect Coupler and 3/8 FPT Plug*

| Part # | Description |
|---|---|
| **A-4104-06-025-D** | 25' Hose, Black, 4000 PSI |
| **A-4104-06-050-D** | 50' Hose, Black, 4000 PSI |
| **25815-QC** | 100' Hose, Black, 4000 PSI |
| **3649-QC** | 50' Hose, Black, 6000 PSI |

Coupler

Hose

Plug

## TIRES

| Part Number | Qty | Description |
|---|---|---|
| P1163-A4 * | 2 | 10" Flat Free Wheels, set of 2 |
| DP80060* | 2 | 13" Flat Free Wheels, set of 2 |

* We can only sell these wheels as replacements for Top Gun Pressure Washers, not as aftermarket parts.

## FRAMES

All Pressure Washer Models (frame only, no wheels)

| Part Number | Qty | Description |
|---|---|---|
| P1097-A1-RED | 1 | Small Frame - Red |
| P1097-A2-RED | 1 | Large Frame - Red |

## Replacement Parts & Accessories for Top Gun Pressure Washers

# GUN & LANCE ASSEMBLY

| Part Number | Qty | Description |
|---|---|---|
| **Gun & Lance Assembly - All Models** | | |
| 8108.8623.00 | 1 | Spray Gun, 12 GPM, 5000 psi |
| 8402.1200.00 | 1 | Lance, molded 13" chrome (stage 1) |
| 8102.1650.00 | 1 | Lance w/ sleeve 18" 1/4" Brass (outer lance) |
| 8102.6000.00 | 1 | Twist conn body 14" FPT x M22 |
| 8102.0323.00 | 1 | Plug, 3/8 MPT Steel |
| **GUN-ASSY** | | Includes all above ready to install |

Spray Gun

3/8 Plug

Lance, stage 1

Connector

Outer Lance - Brass 18"

# NOZZLE SETS

| Part Number | Qty | Description |
|---|---|---|
| **Nozzle Set - All PC160, PC190 Models** | | |
| 8113.1030.99 | 1 | Kit, Nozzle 5-pk w/Soaper 030 |
| **Individual Nozzles - All PC160, PC190 Models** | | |
| 8113.1030.00 | 1 | Nozzle QC 1/4 0030 |
| 8113.1030.15 | 1 | Nozzle QC 1/4 1530 |
| 8113.1030.25 | 1 | Nozzle QC 1/4 2530 |
| 8113.1030.40 | 1 | Nozzle QC 1/4 4030 |
| 8113.3160.00 | 1 | Nozzle QC 1/4 6540 |

**Nozzles**

**Red 0°**

**Yellow 15°**

**Green 25°**

**White 40°**

**Black - Soap**

**Nozzle Set - All PX200 Models**

| Part Number | Qty | Description |
|---|---|---|
| 8113.1035.99 | 1 | Kit, Nozzle 5-pk w/Soaper 035 |

**Individual Nozzles - All PX200 Models**

| | | |
|---|---|---|
| 8113.1035.00 | 1 | Nozzle QC 1/4 0035 |
| 8113.1035.15 | 1 | Nozzle QC 1/4 1535 |
| 8113.1035.25 | 1 | Nozzle QC 1/4 2535 |
| 8113.1035.40 | 1 | Nozzle QC 1/4 4035 |
| 8113.3160.00 | 1 | Nozzle QC 1/4 6540 |

**Nozzle Set - All PX270, PX390 Models**

| Part Number | Qty | Description |
|---|---|---|
| 8113.1040.99 | 1 | Kit,Nozzle 5-pk w/Soaper 040 |

**Individual Nozzles - PX270, PX390 Models**

| | | |
|---|---|---|
| 8113.1040.00 | 1 | Nozzle QC 1/4 0040 |
| 8113.1040.15 | 1 | Nozzle QC 1/4 1540 |
| 8113.1040.25 | 1 | Nozzle QC 1/4 2540 |
| 8113.1040.40 | 1 | Nozzle QC 1/4 4040 |
| 8113.3160.00 | 1 | Nozzle QC 1/4 6540 |

# PARTS AND ACCESSORIES

## Optional Parts & Accessories for Top Gun Pressure Washers

## TELESCOPING WANDS

| Part Number | Description |
|---|---|
| 8102.1001.70 | Telescoping Wand 12 foot |
| 8102.1002.70 | Telescoping Wand 18 foot |
| 8102.1003.70 | Telescoping Wand 24 foot |

- Heavy Duty FIBERGLASS Pole
- 194˚ F
- 4000 PSI

## GUTTER CLEANER

| | |
|---|---|
| 8102.1653.00 | Gutter Cleaner, 1/4" Plug Inlet, 7" |
| 8102.1656.00 | Gutter Cleaner, M22M Inlet, 29" |

- 3000 PSI
- 1/4" QC Outlet

## WATER BROOM

| | |
|---|---|
| 8402.2500.00 | Water Broom, 12", 3GPM, 3 nozzles |
| 8402.2501.00 | Water Broom, 16" |

- 1/4" QD Plug
- 4000 PSI

## DUAL VENTED LANCE

| Part Number | Description |
|---|---|
| 8108.1105.00 | Dual Vented Lance, 42", Stainless Steel |

- 10.5 GPM; 3600 PSI
- 300˚ F
- -1/4" Male Inlet
- -1/4" Female Outlet

## ROTATING NOZZLES

| | |
|---|---|
| 8111.1471.00 | Rotating Nozzle, 3000 PSI, 035 |
| 8111.1431.00 | Rotating Nozzle, 3000 PSI, 040 |

- 3000 PSI
- 210˚ F
- 1/4" F Inlet

- 3000 PSI
- 210˚ F
- 1/4" F Inlet

## PUMP OIL

| | |
|---|---|
| 8102.1801.00 | Pump Oil, 32 oz bottle |
| 8102.1802.00 | Pump Oil, Case of 12 bottles |

- Specially formulated for use in all High-Pressure Industrial Piston Pumps
- Universal Tractor Transmission Oil (UTTO)
- 30 Wt. Non-Detergent & Non-Foaming

## AFTERMARKET TIRES

**Note: 10" - All PC160, PC190, PX200 Models**

| | |
|---|---|
| 8402.0258.00 | 10" Tire, Foam Filled (each) |
| 8402.0253.00 | 13" Tire, Air-filled, 3/4" axle diam. (each) |

## PUMPS

**Pump only**

| Part # | Description |
|---|---|
| 6525.1002.50 | Pump BXD 2525 G |
| 6501.0006.50 | Pump AXD 3025 G |
| 6521.0350.50 | Pump BWD 3027 G-K |
| 6520.0250.50 | Pump AWD 3530 G-K |
| 6305.1503.00 | Pump ZWD 4040 G-K |
| RMV25G30D-EZ | Commecial Axial Pump 2.5 Gallons Per Minute / 3,000 PSI / Built in Unloader - Chemical Injector |

RMV25G30D-EZ

OTHER PUMPS PICTURED ON PAGE 9

## Optional Parts & Accessories for Top Gun Pressure Washers

## GUN ASSEMBLIES Ready to Assemble

| Part # | Description |
|---|---|
| **GUN-ASSY** | Trigger Gun Assembly<br>10 GPM @ 5,000 PSI<br>300 Degrees F<br>3/8 Inlet / 1/4" outlet<br>*Comes Standard with Top Gun Pressure Washers* |
| **8108.7601.00** | Spray Gun, 3/8" F INLET<br>7 GPM @ 3,800 PSI<br>212 Degrees F<br>3/8" Inlet |
| **8108.8623.00** | Spray Gun<br>12 GPM, 5000 PSI<br>300 Degrees F<br>3/8" Inlet / 1/4" outlet |
| **8108.8613.00** | Spray Gun MV 2012<br>10.6 GPM, 5075 PSI<br>320 Degrees F<br>3/8" Inlet / 1/4" outlet |
| **8108.1611.00** | Spray Gun MV 951<br>10.6 GPM, 5075 PSI<br>300 Degrees F<br>3/8" Inlet / 1/4" outlet |
| **8108.1620.00** | Spray Gun<br>8 GPM, 4000 PSI<br>320 Degrees F<br>3/8" Inlet / 1/4" outlet |
| **8108.1620.01** | Repair Kit, 8040 GUN |

## Optional Parts & Accessories for Top Gun Pressure Washers

# LANCES (WANDS)

| Part # | Description |
|---|---|
| **8402.1200.00** | Lance, molded, 12" Zinc |
| **8402.1201.00** | Lance, molded, 18" Zinc |
| **8402.1202.00** | Lance, molded, 24" Zinc |
| **8402.1203.00** | Lance, molded, 36" Zinc |
| **8402.1204.00** | Lance, molded, 47" Zinc |
| **8402.1205.00** | Lance, molded, 59" Zinc |
| **8402.1206.00** | Lance, molded, 70" Zinc |
| **8402.1207.00** | Lance, molded, 79" Zinc |

| | |
|---|---|
| **8402.1210.00** | Lance, non-molded, 12" Zinc |
| **8402.1211.00** | Lance, non-molded, 18" Zinc |
| **8402.1212.00** | Lance, non-molded, 24" Zinc |
| **8402.1213.00** | Lance, non-molded, 36" Zinc |
| **8402.1214.00** | Lance, non-molded, 48" Zinc |
| **8402.1216.00** | Lance, non-molded, 59" Zinc |

| | |
|---|---|
| **8108.1463.00** | Lance Nozzle, Hi-Lo VARI 035 |
| **8102.1650.00** | Lance 18", 1/4" Brass Socket F |
| **8108.8100.00** | Dual Lance 40 inch (MV 30) |

## LANCES (WANDS) CONTINUED

| Part # | Description |
|---|---|
| **8108.1105.00** | Dual Lance, Vented SS |

| | |
|---|---|
| **8402.1101.00** | Dual Lance, Vented, Stainless |

| | |
|---|---|
| **8108.1100.00** | Dual Lance, Vented, Zinc Plated |

| | |
|---|---|
| **8402.1100.00** | Dual Lance, Vented, Zinc |

| | |
|---|---|
| **8108.8020.00** | Dual Wand w/ QC & TIP |

| | |
|---|---|
| **8110.1101.00** | Lance Dual PPZZDBL 36" |
| **8107.1110.00** | Lance Dual Trigger |

| | |
|---|---|
| **8102.1653.00** | Gutter Cleaner Lance |
| **8102.1656.00** | Gutter Cleaner Lance 29" |

| | |
|---|---|
| **8102.1002.70** | Lance, Telescoping 18" |
| **8102.1003.70** | Lance, Telescoping 24" Yellow |

## Optional Parts & Accessories for Top Gun Pressure Washers

## HOSES

*All Hoses come ready to assemble with 3/8 Quick Connect Coupler and 3/8 FPT Plug*

| Part # | Description |
|---|---|
| **A-4104-06-025-D** | 25' Hose, Black, 4000 PSI |
| **A-4104-06-050-D** | 50' Hose, Black, 4000 PSI |
| **25815-QC** | 100' Hose, Black, 4000 PSI |
| **3649-QC** | 50' Hose, Black, 6000 PSI |
| **4104GY-06-050A** | 50' Hose, Grey/ No Mark, 4000 PSI |
| **134-001023-QC** | 100' Hose, Grey/ No Mark, 4000 PSI |

## NOZZLES

| Part # | Description |
|---|---|
| **8113.1030.99** | Kit, Nozzle 5 pk w/ Soaper 030 |
| **8113.1035.99** | Kit, Nozzle 5 pk w/ Soaper 035 |
| **8113.1040.99** | Kit, Nozzle 5 pk w/ Soaper 040 |

| Part # | Description |
|---|---|
| **8113.1030.00** | Nozzle QC 1/4 0030 (RED) |
| **8113.1030.15** | Nozzle QC 1/4 1530 (YELLOW) |
| **8113.1030.25** | Nozzle QC 1/4 2530 (GREEN) |
| **8113.1030.40** | Nozzle QC 1/4 4030 (WHITE) |
| **8113.1035.00** | Nozzle QC 1/4 0035 (RED) |
| **8113.1035.15** | Nozzle QC 1/4 1535 (YELLOW) |
| **8113.1035.25** | Nozzle QC 1/4 2535 (GREEN) |
| **8113.1035.40** | Nozzle QC 1/4 4035 (WHITE) |
| **8113.1040.00** | Nozzle QC 1/4 0040 (RED) |
| **8113.1040.15** | Nozzle QC 1/4 1540 (YELLOW) |
| **8113.1040.25** | Nozzle QC 1/4 2540 (GREEN) |
| **8113.1040.40** | Nozzle QC 1/4 4040 (WHITE) |
| **8113.3160.00** | Nozzle QC 1/4 6540 (Black/Soap) |

| Part # | Description |
|---|---|
| **8111.1400.00** | Nozzle Rotojet 5800-030 |
| **8111.1401.00** | Nozzle Rotojet 5800-035 |
| **8111.1402.00** | Nozzle Rotojet 5800-040 |
| **8111.1403.00** | Nozzle Rotojet 5800-045 |
| **8111.1404.00** | Nozzle Rotojet 5800-050 |
| **8111.1405.00** | Nozzle Rotojet 5800-055 |
| **8111.1406.00** | Nozzle Rotojet 5800-060 |
| **8111.1407.00** | Nozzle Rotojet 5800-070 |
| **8111.1408.00** | Nozzle Rotojet 5800-080 |
| **8111.1409.00** | Nozzle Rotojet 5800-120 |
| **8111.1410.00** | Nozzle Rotojet 5800-090 |
| **8111.1411.00** | Nozzle Rotojet 5800-100 |
| **8111.1412.00** | Nozzle Rotojet 5800-110 |

## NOZZLES continued

| Part # | Description |
|---|---|
| 8111.1413.00 | Nozzle Rotojet 5800-150 |
| 8111.1429.00 | Nozzle Rotojet 3700-030 |
| 8111.1430.00 | Nozzle Rotojet 3700-035 |
| 8111.1431.00 | Nozzle Rotojet 3700-040 |
| 8111.1432.00 | Nozzle Rotojet 3700-045 |
| 8111.1433.00 | Nozzle Rotojet 3700-050 |
| 8111.1434.00 | Nozzle Rotojet 3700-055 |
| 8111.1435.00 | Nozzle Rotojet 3700-060 |
| 8111.1436.00 | Nozzle Rotojet 3700-080 |
| 8111.1471.00 | Nozzle 3000# 3.0 (Turbo Mini) |
| 8108.9096.00 | Idroject 2, .35 w/inscriptions |
| 8111.1451.00 | Nozzle Rotojet 4500-045 |
| 8116.1435.00 | Nozzle UR 3650-055 |

Nozzle Rotojet 5800

Nozzle Rotojet 3700

Nozzle UR 3650-055

Nozzle Rotojet 4500-045

## COUPLERS

Couplers

| Part # | Description |
|---|---|
| 8102.0301.00 | Coupler BST-2 1/4 FPT |
| 8102.0302.00 | Coupler BST-3 3/8 FPT |
| 8102.0303.00 | Coupler BST-41/4 MPT |
| 8102.0304.00 | Coupler BST-5 3/8 MPT |
| 8102.0309.00 | Coupler SS 1/4 FPT |
| 8102.0310.00 | Coupler SS 3/8 FPT |
| 8102.0311.00 | Coupler SS 1/4 MPT |
| 8102.0312.00 | Coupler SS 3/8 MPT |

## O-RINGS

| Part # | Description |
|---|---|
| 8102.0301.01 | O-Ring for 1/4" couplers |
| 8102.0302.01 | O-Ring for 3/8" couplers |

## CONNECTORS

| Part # | Description | |
|---|---|---|
| 8102.6000.00 | Twist Conn Body 1/4" FPT X M22 | A |
| 8102.6001.00 | Twist Conn Body 3/8" FPT X M22 | B |
| 8102.6002.00 | Twist Conn Plug 1/4" FPT X M22 | C |
| 8102.6003.00 | Twist Conn Plug 3/8" FPT X M22 | D |
| 8102.6004.00 | Twist Conn Plug 1/4" MPT X M22 | E |
| 8102.6005.00 | Twist Conn Plug 3/8" MPT X M22 | F |




## UNLOADERS

| Part # | Description |
|---|---|
| 8108.2530.00 | Unloader, 2320 PSI, Yellow |
| 8108.2531.00 | Unloader, 3650 PSI, Blue |
| 8108.2532.00 | Unloader, 4500 PSI, Black |
| 8116.2535.00 | Unloader, 4500 PSI, Pulsar 280 |

Unloader

Pulsar 280
Unloader

# PARTS AND ACCESSORIES

## Optional Parts & Accessories for Top Gun Pressure Washers

## PLUGS

| Part # | Description |
|---|---|
| 8102.0320.00 | Plug 1/4 FPT Steel (ST-N2) |
| 8102.0321.00 | Plug 1/4 MPT Steel |
| 8102.0322.00 | Plug 3/8 FPT Steel |
| 8102.0323.00 | Plug 3/8 MPT Steel |
| 8102.0324.00 | PLug 1/4 FPT Hardened |
| 8102.0325.00 | Plug 1/4 MPT Hardened |

| Part # | Description |
|---|---|
| 8102.0326.00 | Plug 3/8 FPT Hardened |
| 8102.0327.00 | Plug 3/8 MPT Hardened |
| 8102.0328.00 | Plug 1/4 FPT SS |
| 8102.0329.00 | Plug 1/4 MPT SS |
| 8102.0330.00 | Plug 3/8 FPT SS |
| 8102.0331.00 | Plug 3/8 MPT SS |

Plugs

## PROFESSIONAL GRADE SURFACE CLEANERS

| Features |
|---|
| 1/4" Quick connect nipple attaches directly to the end of your wand (1/4" quick connect coupler required.) |
| 18" Heavy-duty poly deck. Lightweight and durable. |
| Nylon brush skirt. Minimizes spray and channels water away from user |
| Welded steel two arm rotary bar. Comes equipped with (2) 2.0 @ 25' nozzles. |
| 4000 PSI Rotary head. Contractor grade for optimal performance. |
| Casters allow for better maneuverability. |

| Specs | |
|---|---|
| Max PSI | 4000 |
| Max GPM | 8.0 |
| Max Temp | 200 degrees F |
| Weight | 14 lbs |

**Part #1002.2225**
**with wheels**

| Features |
|---|
| Commercial grade trigger gun. Quick connect fittings allow for easy hose attachment. |
| 20" Heavy-duty poly deck. Lightweight and durable. |
| Nylon brush skirt. Minimizes spray and channels water away from user |
| Welded steel two arm rotary bar. Comes equipped with (2) 2.0 @ 25' nozzles. |
| 4000 PSI Rotary head. Contractor grade for optimal performance. |
| Casters allow for better maneuverability. |

| Specs | |
|---|---|
| Max PSI | 4000 |
| Max GPM | 8.0 |
| Max Temp | 200 degrees F |
| Weight | 14 lbs |

**Part #1002.0497**
**with wheels**

**Part #1001.9933**
**without wheels**



| Features |
|---|
| Dual Commercial grade trigger guns. Allows the user to separately control the swivel from the water broom and gum nozzle. |
| 4 Nozzle water broom allows for a quick transition from surface cleaning to flushing. |
| Gum nozzles easily release gum from the surface. |
| Quick connects on the guns and hoses makes for an easy transition. |
| Wand holder. Disconnect the gun from the surface cleaner and attach to your wand for cleaning and flushing tight areas. |
| 20" Heavy-duty poly deck. Lightweight and durable. |

| Specs | |
|---|---|
| Max PSI | 4000 |
| Max GPM | 8.0 |
| Max Temp | 200 degrees F |
| Weight | 20 lbs |

**Part #1002.2217**
**with wheels**

## Optional Parts & Accessories for Top Gun Pressure Washers

# MISC. ACCESSORIES & PARTS

| Part # | Description |
|---|---|
| **8102.0340.00** | Assy, gauge kit QD 4000 PSI |
| **8106.0614.00** | Pressure Guage 4000 PSI SS |
| **8112.0802.00** | Hose Reel, 100', 4000 PSI |
| **8402.0258.00** | Tire, Foam Filled 10" |
| **8102.1700.00** | Thermal Valve 3/8" |
| **8102.1701.00** | Thermal Valve 1/2" |
| **1215.0523.00** | Thermal Relief Valve, 1/4" |
| **1215.0354.00** | Thermal Relief Valve, 3/8" |
| **1215.0355.00** | Thermal Relief Valve, 1/2" |
| **8402.2123.00** | Injector Chem Adj 2.1 |
| **8108.9061.00** | Injector Chem ADJ MVR400-2.1 |
| **8402.2102.00** | Injector Chem ADJ 2.1, QC 3/8" |
| **8105.0601.00** | GH Adaptor 1/2 MPT SS Spring |
| **8102.0401.00** | Filter Inlet 1/2 x 1/2 GH |
| **8102.0450.00** | Filter Washer |
| **8402.0334.00** | Filter, HP 1/4" Plug x 1/4" MPT |
| **8402.0335.00** | Filter, HP 1/4" FPT x 1/4" MPT |
| **8102.0461.00** | Filter inlet 3/4" FGH x 1/2" MPT |
| **8102.1248.00** | Side Grip Handle |
| **8102.1249.00** | Side Grip Handle w/C-Clamp |
| **8102.1247.00** | Side Grip Handle, Plastic |
| **5019.0667.00** | Seal Kit, Water BXD-G |
| **5025.0027.00** | Valve kit, BXD |
| **8102.3000.00** | Hose Soap Assembly 3 Ft |
| **8108.3600.00** | Thread Lock 250 ML Medium |
| **8102.1802.00** | Oil, Pump 32 oz x 12 case |
| **8102.5000.00** | Anti-Freeze, Pump head |
| **8402.0260.00** | Rubber Feet |

Hose Reel

Gauge Kit

Pressure Gauge

Thermal Valve

Thermal Relief Valve

Foam Filled Tire

8108.9061.00

8402.2102.00

8402.2123.00

Filter inlet 3/4" FGH x 1/2" MPT

GH Adaptor

Filter Inlet 1/2 x 1/2 GH

Side Grip Handle w/ C-Clamp

Side Grip Handle, Plastic

Filter Washer

Valve Kit

Seal Kit

Side Grip Handle

Pump Anti-freeze

Pump oil

Thread Lock

PRO POWER PRODUCTS
POWERED by HONDA

# TOP GUN
PRESSURE WASHERS

- Cold Water, Gas Powered Pressure Washers
- For Consumer & Professional Use
- Heavy Duty Portable Frames with flat free tires
- Made with professional grade components & attachments

# TOP CURRENT
GENERATORS

- Top of the Line Brushless Generators
- Heavy Duty Portable Frames with flat free tires
- Made with professional grade components & attachments
- Fold down protection handle with lifting eyes

# TOP SPRAY
SPRAY EQUIPMENT

- High Quality Compact Design Sprayers
- Heavy Duty Rubber Mounted Frames
- Made with professional grade components & attachments

# Top Flow
WATER PUMPS

- High Quality Compact Design water pumps
- Made with professional grade components & attachments
- Portable Fire Protection

ASSEMBLED IN THE USA